Work Orde March-01-13 1:		928		*970	128*							Page 1
Revision ID: Item Name:	D3065-041 Step Leg Asser 3/01/13 4/08/13	mbly Hi Start Qty: 50.00 Req'd Qty: 30.00	*30*	Accept	*N900 Cust Item Customer:	ID:	100)*	Setup	Start Stop	*N:	S1* S2*
Approvals:	Process Plan	n: <u>ML5</u>	Date: /3-03^04	Tooling:	D)ate:			Run	Start	*N	R1*
			¥	SPC (Y/N):	D	ate:				Stop	*N	R2*
Sequence ID/ Work Center II)	Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Rej Qt		Reject Number	Insp. Stamp
Draw Nbr	Revi	ision Nbr										
D3065	Rev	В										
*100 *100* Small Fab		Small Fab Memo	as now Dura D2065 and Identify	0.00 0.00				40			<	J3/4
Small Fab			as per Dwg D3065 and Identifing	0.00				/		,		2AG
110 QC Quality Control		Memo		0.00				40		<i>\$</i>		0AS 19
120		Identify as per dwg &	Stock Location:WA.&	3 0.00				,			ı	,
120 Packaging		Memo		0.00				40		<u></u>	Ac	13.04.1

Packaging

									DQA:	Date:	
NCR: Y	es / No				WORK ORDER NON-C	CONFOR	MANCE / UP	DATE			
					T	-			QA Closed:	Date:	
NA (a. ml. Omela					DISPOSITION	i		AGAINST DE	PARTMENT,	/PROCESS	
Work Orde	er				Rework	7 	Skid-tube	Crosstube		Water Jet	Engineering
Part N	ln				Scrap	1	Machining	Small Fab	Pro	d. Eng. Coor.	Quality
					Use-as-is	4 1	moforming	Finishing	ł	re/Packaging	Other
NCR N	lo.				Work Order Update	1	Large Fab	Composite]	Supplier	
											· · · · · · · · · · · · · · · · · · ·
Root		1			ption of work order update	Initial	1	ction	Sign &		
Cause	Date	Step	Qty	(or Non-conformance	Chief Eng	Desc	cription	Date	Verification	QC Inspector
Doc/Data	_										
Equip/Tooling										·	
Operator	_										
Material		1									
Setup											
Other							ļ				
Process											
Supplier											
Training											
Unapproved		<u> </u>	<u>l</u> i	-		AULT CATE	GORV.		l		
Landie	ng Gear				General	AULI CAIL	JONT				
- Landin	Bending			Г	Bend	Grain			Ovalized		Pressure/Forced
÷	Centre N	ot Conce	ntric to ()/s	BOM/Route	Hardw	are		Over/Under	tolerance	Temperature/Cure
-	Cracks	or conce		""	Broken/Damaged		tion Incomplete		Part Incorre	<u> </u>	Weld
	 -	'Crimped			Burrs	\rightarrow	tions Incomplete	/Unclear	Part Lost/M	├	Wrong Stock Pulled
	Crushed/Crimped. Cuffs				Contamination	\vdash	enance		Part Moved		~
	Heat Treat				Countersink	Mislab			Positioned \		
	Inspectio		Tube		Cut Too Short	Misrea			Power Loss,		Other
ŀ	Ripples in				Drill Holes	Offset			-1		
ŀ	Torque V		Extrusion	,	Drawing	Out of	Calibration				

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde March-01-13 1:		7928			*970	128*							Page 2
Item ID: Revision ID: Item Name:	D3065-041 Step Leg Ass	sembly Hi			Accept	*N900	040	100)*	Setup	Start Stop		S1* S2*
Start Date: Required Date: Reference:	3/01/13 4/08/13	Start Qty: 30.00 Req'd Qty: 30.00		30* 30*		Cust Item I Customer:	D:						
Approvals:	Process Pl	an: _ '	Date:		Tooling: SPC (Y/N):		ate:			Run	Start Stop	1/1	R1* R2*
Sequence ID/ Work Center II	D	Operation Description QC21- Final Inspection -	Work Order Re	elease	Set Up/ Run Hours	Tool ID	Tool#	Plan Code	Accep Qty	t Rej Qty		Reject Number	Insp. Stamp
130		Memo			0.00						1/10	1100	-1

Quality Control

MB-04-17

										•		DQA:	Da	te:	
NCR:	/es	/ No				WORK ORDER NON-C	O	NFORM	ANCE / UP	DATE		•		•	
												QA Closed:	Da	te:	
Work Orde	. r.					DISPOSITION			als.	AGAINST	DEI	PARTMENT	PROCESS		
WOIK OIG	-					Rework	1		Skid-tube	Crosstube			Water Jet		Engineering
Part N	۱o					Scrap		ľ	Machining	Small Fab			d. Eng. Coor.		Quality
						Use-as-is			noforming	Finishing	-	Rec/Stor	e/Packaging	-	Other
NCR 1	NO					Work Order Update			Large Fab	Composite			Supplier	L	
Root					Descri	ption of work order update	1	Initial	Act	tion		Sign &			
Cause		Date	Step	Qty	C	or Non-conformance	Ch	nief Eng	Desc	ription		Date	Verificatio	n	QC Inspector
Doc/Data															
Equip/Tooling															
Operator															
Material			1				ļ								
Setup															
Other															
Process												'			
Supplier															
Training															
Unapproved	П														
						F	AUL	LT CATE	GORY						
Landi	ng G	iear				General		_				•			1
		Bending				Bend	L	Grain			<u>_</u>	Ovalized		$ldsymbol{ld}}}}}}}}$	Pressure/Forced
		Centre No	ot Conce	ntric to	o/s	BOM/Route		Hardwa	re		L	Over/Under	tolerance		Temperature/Cure
		Cracks				Broken/Damaged		Inspecti	on Incomplete		L	Part Incorre	ct	L	Weld
		Crushed/	Crimped.			Burrs		Instruct	ions Incomplete/	Unclear		Part Lost/Mi	ssing		Wrong Stock Pulled
	П	Cuffs				Contamination		Mainte	nance			Part Moved			
		Heat Trea	it			Countersink		Mislabe	led			Positioned V	Vrong		-
		Inspection	n Strip in	Tube		Cut Too Short		Misread	i			Power Loss/	Surge		Other
	П	Ripples in	Bend			Drill Holes		Offset							

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence
Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print

March-01-13 1:50:52 PM

Work Order ID:

97928

Parent Item:

D3065-041

Parent Item Name:

Step Leg Assembly Hi

Start Date: 3/01/13

Required Date: 4/08/13

Start Qty: 30.00

Required Qty: 30.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status /
D3065-1		Manufactured	No			100	Each	59.0000	1	.30	5//	18	
Step Spacer											7	12/0,	4/ 13
		Net		Location		Loc Qty	Lo	c Code	`				(
				GA		59					DO	62	2 2
				.7449		1					15 7		
				8130		1						(4	100)
				9592	3	57	F 1	24.0000			()/		7
3065-3		Manufactured	No			100	Each	34.0000	1	30	5/5	12 /	2/15
tep Spacer									A		7)		
				Location		Loc Oty	<u>Lo</u>	c Code		/		/	/
				GA		34				/	\bigcirc	1 i .	 .
				6982		1					9	U4 17	8
		-		7329 7515		14					/		1
				8373		12						(50) (WE
				8387		1					_		
				9569		2					(n	/	/
3065-5		Manufactured	No			100	Each	100.0000	2	60	// (z /2/	
tep Leg											L.)(_) 04	15
				Location		Loc Oty	Lo	oc Code			/	, ,	
				GA		100				//	RI	715	G (4
				6722	.2	. 1	•				/ر	-	
				7328		19					B	958	34(3
				9378		1						00	2/6
				9618	34	79	•		·		729	974	1003

3

NCR:	⁄es	/ No				WORK ORDER NON-C	Oľ	NFORM	MANCE / UPI	DATE	QA Closed:	Date:	
Work Orde	or:	-		Ţ		DISPOSITION			and the same of th	AGAINST DE	PARTMENT	PROCESS	
Part N	۔ . No					Rework Scrap Use-as-is Work Order Update		Thern	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	Rec/Stor	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root					l	ption of work order update	1	nitial		tion	Sign &	_	•
Cause	\Box	Date	Step	Qty	•	or Non-conformance	Ch	ief Eng	Desci	ription	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved													• ··
						F	AUL	T CATE	GORY				
Landi	ng G	Gear			,	General			-	_	7		1
		Bending Centre No Cracks Crushed/ Cuffs Heat Trea Inspection Ripples in Torque W	Crimped. it n Strip in i Bend	Tube		Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short Drill Holes Drawing		Instruct Mainte Mislabe Misread Offset	ion Incomplete ions Incomplete/ enance eled	Unclear	Ovalized Over/Under Part Incorred Part Lost/M Part Moved Positioned V Power Loss/	ct sissing Vrong	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other
		Turning S	equence			Finish		Out of	Sequence				

Outside Dimensions

Date:

DQA:

Wave/Twist in Tube

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

March-01-13 1:50:52 PM

97928 Work Order ID: **Start Date:** 3/01/13 Required Date: 4/08/13 Parent Item: D3065-041 **Start Qty: 30.00** Required Qty: 30.00 Step Leg Assembly Hi Parent Item Name: 74.0000 100 Each No Manufactured Step Spacer Location Loc Oty Loc Code GA 74 73291 74499 78666 83738 89971 10 19 91548 32 95725 100 Each 1,748.0000 900 Purchased No Rivet, Universal Head Loc Code Loc Qty Location GA 72 72 121652 ST336 1676 136 116188 118614 251 122027 677 612 124231

											DQA:	Date	:
NCR:	Yes	/ No				WORK ORDER NON-C	ON	IFORN	MANCE / UPDATE		0.4.61	D-4-	
			·								QA Closed:	Date	:
Work Orde	ar:					DISPOSITION			- AGAINS	ST DE	PARTMENT	/PROCESS	
. Work Orde	-	······································				Rework	1		Skid-tube Crosstub	ъеГП		Water Jet	Engineering
Part N	NÒ:					Scrap			Machining Small Fa	 	Pro	d. Eng. Coor.	Quality
		*				Use-as-is	1	Therm	noforming Finishir	ng	Rec/Stor	re/Packaging	Other
NCR I	No					Work Order Update]		Large Fab Composi	te		Supplier	
Root					Descri	ption of work order update	1	nitial	Action		Sign &		
Cause		Date	Step	Qty		or Non-conformance	Ch	ief Eng	Description		Date	Verification	QC Inspector
Doc/Data													
Equip/Tooling									· ·				
Operator													
Material													
Setup													
Other									•				
Process													
Supplier													
Training													
Unapproved													
						F.	AUL	T CATE	GORY				
Landi	ng Ge	ear			_	General		ı		_	7	Г	
	LJE	Bending				Bend	\vdash	Grain		<u> </u>	Ovalized	-	Pressure/Forced
		entre No	ot Concei	ntric to	o/s	BOM/Route	\vdash	Hardwa			Over/Under	 -	Temperature/Cure
		Cracks				Broken/Damaged		1	on Incomplete		Part Incorre	⊢	Weld
	\Box	crushed/	Crimped.			Burrs		1	ions Incomplete/Unclear		Part Lost/Mi		Wrong Stock Pulled
	\Box	Cuffs				Contamination		Mainte			Part Moved		•
	۱	leat Trea	it			Countersink		Mislabe	led	\perp	Positioned V		 1
		nspectio	n Strip in	Tube	L	Cut Too Short		Misread	1	· L_	Power Loss/	'Surge	Other
		Ripples in	Bend			Drill Holes		Offset					

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing


Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G



	DESIGN	8	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA								
	CHECK	ED	APPROVED	DRAWING NO.	REV. B							
		PH		D3065	SHEET 1 OF 5							
i	DATE	00.0)E 00	TITLE	SCALE							
		00.0	05.23	STEP LEG ASSEMBLY	1:2							
	Α	0	2.09.11	NEW ISSUE								
	В	0	6.05.23	ADD 6061-T6 MATERIAL, ADD SLOTS TO D3065-5								


RELEASED Control Co



D3065-041 STEP LEG ASSEMBLY








- 1) MATERIAL: 2024-T3 (QQ-A-250/4) 0.040 THICK (REF DART SPEC. M2024T3S.040) 2) FINISH: ACID ETCH & ALODINE PER DART QSI 005 4.1
- 3) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 4) PART IS SYMMETRIC ABOUT CENTERLINE
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES

COPYRIGHT © 2002 BY DART AEROSPACE LTD.




DRAWN BY DESIGN DART AEROSPACE LTD CB HAWKESBURY, ONTARIO, CANADA CHECKED APPROVED. DRAWING NO. REV. B PH D3065 SHEET 3 OF 5 DATE TITLE SCALE 06.05.23 STEP LEG ASSEMBLY 1:1




COPYRIGHT © 2002 BY DART AEROSPACE LTD.

6) ALL DIMENSIONS ARE IN INCHES









- 1) MATERIAL: 2024-T3 (PER QQ-A-250/4) 0.040 THICK (REF DART SPEC. M2024T3S.040)
- 2) FINISH: ACID ETCH & ALODINE PER DART QSI 005 4.1
- 3) PART IS SYMMETRIC ABOUT CENTERLINE
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES

COPYRIGHT © 2002 BY DART AEROSPACE LTD.